

PRODUCT CATALOG ARMORED AMBULANCE

Company data and contact

+355 4 4803383 +355 69 205 6663 Tirana Industrial Park, Nr.37, Tirana info@timak.com www.timak.com



EMERGENCY VEHICLES ARMORED AMBULANCE

The TIMAK Armored Ambulance is an Ambulance with ballistic protection level: B6.

The Timak Armored Ambulance is designed to tackle the toughest terrain, providing the perfect solution for an armoured vehicle in rough terrain for aid and humanitarian agencies worldwide in the most demanding situations.

All side armouring of passenger compartment (roof and verticles) to provide protection up to CEN Level B6.

Ballistic steel interior frame provides overlap and backup protection for the doors and windows.

All door/window openings are overlapped. Vehicle's armour plates are stitch-welded using high-intensity MIG welders to ensure maximum strenght.

Transparent armouring acheived with multilayer glass/polycarbonate combination. Door pillars reinforced to accomodate the additional weight of the armored door and heavy duty door hinges are fitted to provide durability and stability.



AMBULANCE KIT

Ceiling

Lined with vetrorezine material that can be easily cleaned and disinfected.Left and right side panel. Central Ceiling Lights version NP2014 with 12 air duct for sewerage A / C, completed with: 2 catch gloves, 2 compartments closed with sliding grilles, 2 longitudinal white make lights, 4 blue spots.

Left Wall

Hanging cabinets. Cabinet with 4 drawers and closet for oxygen bottle closed by a sliding grille. Carter for oxygen nest. 4 drawers with handles. Cabinet for medicines with sliding shutters. Special place for control panel. Furniture with upper base and open partition. Special place furniture for placing the stretcher and spineboard.

Floor


The floor with suitable material is covered with a kind of bicomponent material, which makes it more useful and non-slip, anti-scratch, easily disinfectable and easy to wash and clean.

Lights

LED light placed in 2 groups on the roof. In the bumper 2 lights with Blue signal. The control panel is located in the driver's cab.

Windows

With clad glass, with straps between them that allow visibility.



A seat is attached to the partition wall of the cabin at the rear of the vehicle and a seat on the right side, sideways patient's stretcher. They are coated on the outside with imitation leather material, equipped with seat belt with three fixing points and with two supports in 2 side parts. Ventilation Ventilation is located on the ceiling of the ambulance.

The middle Wall

Partition wall between the driver's cab and the patient's cab. Separation with resin material. Sliding window.

Right Wall

Integrated base to place your backpack or a vacuum mattress. Open integrated compartment. Sliding door panel. Rear door panels. Open bottom partition capable of placing a ked. Special compartment to place up to 2 portable oxygen cylinder holders.

Shelves

Shelves are composed of vitreous or polyurethane with rounded angular base and shock resistant, resistant to cleaning, disinfection and burning materials. These furniture have glass shutters with bidirectional movements, to avoid the fall of equipment placed on them.

Seats

SPECIFICATIONS

Standard Features

Ambulance body	Roof ventilation	Siren & public address system
Patient compartment LED lights	Patient compartment LED lights	12V DC power supply with power sockets
Patient compartment control- ler (basic) Exterior LED work light	Patient cabin partition wall with sliding window IV hanger	Seating configuration: Flip-up attendant seat (X1) Reverse gear buzzer
Emergency hammer Swing door grab handle	Overhead grab handle bar Side emergency lights (x6)	Waste disposal bin Stretcher loading ramp
Ambulance medical and oxy- gen tank cabinets	Full width emergency light bar at front (roof mount)	Patient area anti-bacterial, anti-slip floor
Patient compartment spot lights	Oxygen cylinders wall mount holder	Reinforced wall for medical device attachment
Aluminium hygienic interior panels with noise & heat insu- lation	Rear manually controlled air conditioner (requires base ve- hicle fitted with front A/C)	Exterior decal markings, re- flective side strips, ambulance lettering (at front and rear)
Oxygen therapy kit	Ambulance operation manual	

Optional Features

Recovery Winch	CBRN Air Filter System
Automatic Fire Suppression System	Intercom System - Navigation

Technical Specifications

Suspension	
Front	Coil Spring Hydraulic Telescop Anti-Roll Bar
Rear	Leaf Spring, Hydraulic Telescoj Anti-Roll Bar
Tires - Qty.	335/80 R20 (Run-
Body	Doors: Right Side 5 patient, 2 medic Total: 8 Person

Counter-Terrorist Operations

- Patrolling in high intensity areas
- Special Forces Operations
- Quick Reaction Teams

Conventional Operations

- Armed
- Raids in open or desert terrain
- Convoy protection
- Riot control



Notes: Images are for illustrative purposes only and may appear different to the actual vehicle.

EMERGENCY VEHICLES **/ AMBULANCES**

pic Shock Absorber

pic Shock Absorber,

-Flat) 4

e 2 + Left Side 1 + Rear 2 cal attendants, driver

TIMAK AMBULANCES FOR EVERY PURPOSE!

At TIMAK's state-of-the-art facilities, we produce emergency vehicles equipped with cutting-edge technology, aiming for continuity and reliability with a keen eye on staying ahead of the times. With our finger on the pulse of progress, TIMAK delivers solutions that seamlessly adapt to evolving challenges, safeguarding lives and upholding the highest standards of emergency response.



03 AMBULANCE



02 AMBULANCE



04 INTENSIVE CARE AMBULANCE



06 MILITARY AMBULANCE



08 ARMORED AMBULANCE



10 SUV 4X4 AMBULANCE



Notes: Images are for illustrative purposes only and may appear different to the actual vehicle.

05 PRISONER AMBULANCE



TIMAK HAS PRODUCED OVER 200 AMBULANCES

1 OF 2 AMBULANCES IN ALBANIA HAVE THE NAME TIMAK EMERGENCY VEHICLES / AMBULANCES











TIMAK Catalogue 9

THANK You!

The company reserves the right to change the vehicle specifications and features described in this publication at any time. Vehicle specifications and features may vary in different markets. Images are for illustrative purposes only and may appear different to the actual vehicle.

+355 4 4803383 +355 69 205 6663

Tirana Industrial Park, Nr.37, Tirana

info@timak.com www.timak.com

