## LAW ENFORCEMENT VEHICLES LIFT AWAY SPIDER **TOW TRUCK**

Our vehicles are built with plenty of space for the driver, front seat passengers, personal equipment and detainees. Their contemporary design can be customized to individual requirements and deliver everything our customers require.





Notes: Images are for illustrative purposes only and may appear different to the actual vehicle.

## **TECHNICAL SPECIFICATIONS**

## Standard Features

the rear.

PLATFORM		GLASSES	
Platform made of standard profiles and materials.	Tool cabinet and spare wheel place made in suitable parts of the platform	A hydraulic goggle system that will lift the vehicles from the front wheels at the rear of the platform.	A hydraulic goggle system that will lift the vehicles from the front wheels at the rear of the platform.
Projector that will allow night work on the platform.	Phosphorus plaques and labels on the back and sides of the platform.		
Easy-to-remove and mountable wedges	ied vehicle when not in use. Hydraulically working balar ing system in the middle of frame.	H FRAME AND WHEEL HOLDERS	
placed in order to fix the vehicles carried on the platform.		Hydraulically working balanc- ing system in the middle of the	H-shaped and standard profile frame.
LIFT CRANE			
LIFTCRANE		pacity of 1 ton, at the four ends of the frame.	Universal type, wheel holders designed to grip different diameters of auto- mobile tires
The ability to lift a vehicle from the rear according to the carrier vehicle model.	Crane control system that can be used from both directions.		
Booms made of high-strength, flexible imported steel.	Safety valves that lock the system in case of hose leaks and pipe bursts.		
360 degree rotating gear group mecha- nism.	Hydraulic installation carried by a hose drum up to the telescopic boom.		
Horizontal-vertical feet with hydraulic opening at the front and vertical feet at	Tower rotation angle is 360°(±180°)		