




Company data and contact

+355 4 4803383 +355 69 205 6663 Tirana Industrial Park, Nr.37, Tirana info@timak.com www.timak.com




THE ULTIMATE **SIDEWALK SOLUTION!**



WINTER MAINTENANCE

Designed to get the most versatilit from a single vehicle. Winter services operations play an important role inensuring that highway networks are safe and available during adverse weather conditions.

TIMAK Snow Plough reduces the need for shovelers, maximizing productivity and efficiencywhether in metro, commercial or residential environments-where clean and clear walking surfaces are always the top priority.



TIMAK Winter Maintenance vehicles for every purpose!

With a variety of snow and ice control technologies and features to make your job more productive, TIMAK has what today's professionals need to take on winter and restore order.

TRUCK SNOW PLOWGH

Standart Features

Total width of blades: 3 000 - 5 000 mm

Min operational width: 2 800 - 4 800 mm

Number of segments: 3-5

Max turning angle (both directions): 30°

Weight with standard equipment: 500 - 1 600 kg

Moldboards height (blades included): 800-1100 mm

TRUCK SALT SPREADER Standart Features

Capacity : 3 - 9 m3 Discharge : Catterpillar track ,Helix System

Salt Spreader width: 2-8 m

O2 SNOW PLOUGH







TRACTOR SNOW PLOUGH

Standart Features

Total width of blades: 2 400 mm

Min operational width: 2 300 mm

Number of segments: 3 x 800 mm

Max turning angle (both directions): 30°

Weight with standard equipment: 450 kg Moldboards height (blades included): 900 mm

TRACTOR SALT SPREADER

Standart Features

Capacity: 1 - 1.5 m³

Discharge : Helix System

Salt Spreader width: 2-6 m

PICK UP SNOW PLOUGH Standart Features

Total width of blades: 2 000 mm

Min operational width: 1800 mm

Number of segments: 1 x 2 000 mm

Max turning angle (both directions): 30°

Weight with standard equipment: 180 kg Moldboards height (blades included): 600 mm

PICK UP SALT SPREADER Standart Features

Capacity: 200-500 kg

Discharge : Helix System

Salt Spreader width: 2-4 m



04 SPREADER



Notes: Images are for illustrative purposes only and may appear different to the actual vehicle.

WINTER MAINTENANCE







BACKHOE LOADER SNOW PLOUGH Standart Features

Total width of blades: 2 700 mm

Min operational width: 2 600 mm

Number of segments: 3 x 900 mm

Max turning angle (both directions): 30°

Weight with standard equipment: 510 kg

Moldboards height (blades included): 1100 mm

BACKHOE LOADER SALT SPREADER

Standart Features

Capacity: 1 - 1.5 m³

Discharge : Helix System

Salt Spreader width: 2-6 m

THE SOLUTION for CLEAN ROADS ON ANY TERRAIN

.

9 6

IMAK

80

JAK

Managing snow-clogged roads has its own challenges. The Timak snow plough and salt spreader are the solution. They are designed and engineered to quickly and efficiently clear snow-clogged roads. The Timak snow plough and salt spreader reduce the need for shovels, maximizing productivity where clean surfaces are always the top priority.

TIMAK

.....

TAK

TIMAK

.............

......

00

TIMAK

THANK You!

The company reserves the right to change the vehicle specifications and features described in this publication at any time. Vehicle specifications and features may vary in different markets. Images are for illustrative purposes only and may appear different to the actual vehicle.

+355 4 4803383 +355 69 205 6663

Tirana Industrial Park, Nr.37, Tirana

info@timak.com www.timak.com

