



2022

# PRODUCT CATALOG

CONSTRUCTION VEHICLES

**Company data  
and contact**

+355 4 4803383  
+355 69 205 6663

Tirana Industrial Park,  
Nr.37, Tirana

info@timak.com  
www.timak.com



**INNOVATIVE & EFFICIENT  
IN EVERY DETAIL**

## ROAD MAINTENANCE

---

For any construction project, you need a sturdy companion: one that can handle the heaviest loads with ease and adapt to any work site. From all-wheel drive tippers to concrete mixers and pumps, TIMAK offer a range of trucks that you cannot do without.



**100%**  
MADE IN ALBANIA

# TIMAK Road Maintenance vehicles for every purpose!

Our equipment is designed in accordance with the needs of our customers and is produced in the best quality and the most suitable features to meet the needs.



**01** DUMP TRUCK

- TIMAK dump trucks feature a large transport volume with optimised external dimensions: they enable the largest possible payload at a low tare weight through solutions optimised to the payload in every detail.
- TIMAK dump trucks are sturdy with a long service life due to the use of high strength materials and the latest production processes. The frame construction is extremely stable and well protected against corrosion. The large tipping angle of the dump truck helps the bulk material to flow off.
- TIMAK achieves high tipping stability through the combination of a stabiliser and new tipper body guide as well as through a reduced design height. High tipping and lowering speeds accelerate working cycles.
- TIMAK steel dump bodies are designed for the toughest applications. They are low wear and crack-resistant. They have a low centre of gravity, which ensures good road holding and excellent driving performance.

## Standart Features

Vehicle Carrying Capacity: 7500 kg – 32000 kg

Opening the Back Cover: Mekanik / Hydraulic

Tipper Capacity: 4 m<sup>3</sup> -20 m<sup>3</sup>

Tipper Material: St-37 / St-52

Rear Cover Locks: Automatic



**02** TRUCK MIXER

## Concrete Mixer Trailer Dimensions Standart Features

Total Length: 8000 mm - 12000 mm

Mixer Trailer Capacity (Volume): 12 m<sup>3</sup> - 14 m<sup>3</sup> - 15 m<sup>3</sup> - 16 m<sup>3</sup>

Width: 2550 mm

Total Height: 3500 mm - 4000 mm

Electric Installation: The used Installation materials conform to the EEC 24 Certified European norms.

**03** TELESCOPIC PLATFORM



## General Features

Safety systems at hydraulic circuits.

Telescopic booms made of high quality steel

Safety lock system at legs.

Lighting projector at basket.

Closed hydraulic circuit automatic basket balance system.

Emergency start/stop button from control panel

Full safety electric system

## General Features

Steel or aluminum wide basket

Mini power unit to use in emergency situation

New system design for customer who asks for special capacity of basket

230/400 V AC sockets on the basket

Separate power unit which has got 380 V. energy apart from hydraulic pump

TIMAK Road Maintenance Vehicles



# THANK YOU!

The company reserves the right to change the vehicle specifications and features described in this publication at any time. Vehicle specifications and features may vary in different markets. Images are for illustrative purposes only and may appear different to the actual vehicle.

+355 4 4803383  
+355 69 205 6663

Tirana Industrial Park,  
Nr.37, Tirana

info@timak.com  
www.timak.com

